Pacel™

Bipolar Pacing Catheters

Information contained herein for DISTRIBUTION outside the U.S. only. Check the regulatory status of the device in areas where CE marking is not the regulation in force.

©2020 Abbott. All rights reserved. MAT-2002367 v1.0

TABLE OF CONTENTS

Torque Control

Pacel™ Bipolar Pacing Catheter, Ventricular Pacing 60 Degree Curve....3
Pacel™ Bipolar Pacing Catheter, Ventricular Pacing with Right Heart Curve....4
Pacel™ Bipolar Pacing Catheter, Atrial "J" Pacing....5

Flow Directed

Pacel™ Bipolar Pacing Catheter, Straight....6
Pacel™ Bipolar Pacing Catheter, Right Heart Curve....7

Bipolar Pacing Accessories

Epicardial Cable....8
Patient Cable....9
Threshold Cable....10

Information contained herein for DISTRIBUTION outside the U.S. only. Check the regulatory status of the device in areas where CE marking is not the regulation in force.

©2020 Abbott. All rights reserved. MAT-2002367 v1.0

VENTRICULAR PACING 60 DEGREE CURVE

Torque Control

Product Highlights

- Designed to provide pacing and sensing in the ventricle from the superior vena cava approach
- Designed to balance maneuverability and mechanical stability
- Solid core enables user to customize the curve
- 10 cm depth markers to enhance placement
- Smooth, hemocompatible polyurethane coating
- Stainless steel center conductor and electrodes
- Clearly marked terminals
- Shrouded 2 mm pin connector leads

Ordering Information

Contents: Pacing Catheter and Pin Adapters (5 units per box)

REORDER NUMBER	FRENCH SIZE	ELECTRODE SPACING (cm)	USABLE LENGTH (cm)	RECOMMENDED INTRODUCER SIZE (F)
401765	4	1	110	4
401775	5	2.5	110	5
401766	5	1	110	5
401776	6	2.5	110	6
401767	6	1	110	6
401768	7	1	110	7

Data on file at Abbott.

Information contained herein for DISTRIBUTION outside the U.S. only. Check the regulatory status of the device in areas where CE marking is not the regulation in force.

©2020 Abbott. All rights reserved. MAT-2002367 v1.0

VENTRICULAR PACING WITH RIGHT HEART CURVE

Torque Control

Product Highlights

- Designed to provide pacing and sensing in the ventricle from the inferior vena cava approach
- Designed to balance maneuverability and mechanical stability
- Solid core enables user to customize the curve
- 10 cm depth markers to enhance placement
- Smooth, hemocompatible polyurethane coating
- Stainless steel center conductor and electrodes
- Clearly marked terminals
- Shrouded 2 mm pin connector leads

Ordering Information

Contents: Pacing Catheter and Pin Adapters (5 units per box)

REORDER NUMBER	FRENCH SIZE	ELECTRODE SPACING (cm)	USABLE LENGTH (cm)	RECOMMENDED INTRODUCER SIZE (F)
401769	4	1	110	4
401770	5	1	110	5
401771	6	1	110	6
401772	7	1	110	7



Data on file at Abbott.

Information contained herein for DISTRIBUTION outside the U.S. only. Check the regulatory status of the device in areas where CE marking is not the regulation in force.

©2020 Abbott. All rights reserved. MAT-2002367 v1.0

ATRIAL "J" PACING

Torque Control

Product Highlights

- Designed to provide pacing and sensing in the right atrium from the superior vena cava approach
- Designed to balance maneuverability and mechanical stability
- Solid core enables user to customize the curve
- 10 cm depth markers to enhance placement
- Smooth, hemocompatible polyurethane coating
- Stainless steel center conductor and electrodes
- Clearly marked terminals
- Shrouded 2 mm pin connector leads

Ordering Information

Contents: Pacing Catheter and Pin Adapters (5 units per box)

REORDER NUMBER	FRENCH SIZE	ELECTRODE SPACING (cm)	USABLE LENGTH (cm)	RECOMMENDED INTRODUCER SIZE (F)
401773	5	1	110	5

Data on file at Abbott.

Information contained herein for DISTRIBUTION outside the U.S. only. Check the regulatory status of the device in areas where CE marking is not the regulation in force.

©2020 Abbott. All rights reserved. MAT-2002367 v1.0

STRAIGHT
Flow Directed

Product Highlights

- Designed to provide temporary pacing from the inferior vena cava approach
- Flexible design for delicate placement of catheter
- 10 cm depth markers to enhance placement
- Smooth, hemocompatible polyurethane surface
- Clearly marked terminals
- Shrouded 2 mm pin connector leads

Ordering Information

Contents: Pacing Catheter, Syringe and Pin Adapters (1 unit per box)
Kit Contents: Pacing Catheter, Syringe, Pin Adapters and Needle Peel-Away Introducer (1 unit per box)

REORDER NUMBER	FRENCH SIZE	ELECTRODE SPACING (cm)	USABLE LENGTH (cm)	RECOMMENDED INTRODUCER SIZE (F)
401761	5	1	110	6
401762 (Kit)	5	1	110	6

Data on file at Abbott.
Information contained herein for DISTRIBUTION outside the U.S. only. Check the regulatory status of the device in areas where CE marking is not the regulation in force.

©2020 Abbott. All rights reserved. MAT-2002367 v1.0

RIGHT HEART CURVE

Flow Directed

Product Highlights

- Designed to provide temporary pacing from the inferior vena cava approach
- Flexible design for delicate placement of catheter
- 10 cm depth markers to enhance placement
- Smooth, hemocompatible polyurethane surface
- Clearly marked terminals
- Shrouded 2 mm pin connector leads

Ordering Information

Contents: Pacing Catheter, Syringe and Pin Adapters (1 unit per box)
Kit Contents: Pacing Catheter, Syringe, Pin Adapters and Needle Peel-Away Introducer (1 unit per box)

REORDER NUMBER	FRENCH SIZE	ELECTRODE SPACING (cm)	USABLE LENGTH (cm)	RECOMMENDED INTRODUCER SIZE (F)
401763	5	1	110	6
401764 (Kit)	5	1	110	6

Data on file at Abbott.
Information contained herein for DISTRIBUTION outside the U.S. only. Check the regulatory status of the device in areas where CE marking is not the regulation in force.

©2020 Abbott. All rights reserved. MAT-2002367 v1.0

EPICARDIAL CABLE

Bipolar Pacing Accessories

Product Highlights

- Designed to provide a connection between an external pulse generator or pacing system analyzer and the epicardial (myocardial) wire(s)
- Reusable (sterilizable up to 10 times)
- Thumb wheel screw connections
- Recessed receptacle ports

Ordering Information

Contents: Epicardial Cable and Pin Adapters (5 units per box)

REORDER NUMBER	DESCRIPTION	SPECIFICATION
401777*	2 Pin Hypertronics Connector	2.4 meters (8 feet) – Yellow
401778^	Shrouded 2 mm Pins	2.4 meters (8 feet) – Yellow



2 Pin Hypertronics Connector
(401777)



Shrouded 2 mm Pin
(401778)

*Compatible with External Pulse Generators (EPGs) containing a 2-pin Hypertronics receptacle.
^Compatible with External Pulse Generators (EPGs) containing shrouded 2-pin receptacles.

Data on file at Abbott.

Information contained herein for DISTRIBUTION outside the U.S. only. Check the regulatory status of the device in areas where CE marking is not the regulation in force.

©2020 Abbott. All rights reserved. MAT-2002367 v1.0

PATIENT CABLE

Bipolar Pacing Accessories

Product Highlights

- Designed to provide a connection between the external pulse generator or pacing system analyzer and the pacing catheter(s) and to provide the ability to extend the distance between the pacing leads and the pacing device.
- Reusable (sterilizable up to 10 times)
- Thumb wheel screw connections
- Recessed receptacle ports

Ordering Information

Contents: Patient Cable and Pin Adapters[1] (5 units per box)

REORDER NUMBER	SPECIFICATION
401758^	2.4 meters (8 feet) – Black
401759*	2.4 meters (8 feet) – White
401760*	2.4 meters (8 feet) – Blue



1. Pin adapters only included with shrouded pin models.
* Compatible with External Pulse Generators (EPGs) containing a 2-pin Hypertronics receptacle.
^ Compatible with External Pulse Generators (EPGs) containing shrouded 2-pin receptacles.

Data on file at Abbott.

Information contained herein for DISTRIBUTION outside the U.S. only. Check the regulatory status of the device in areas where CE marking is not the regulation in force.

©2020 Abbott. All rights reserved. MAT-2002367 v1.0

THRESHOLD CABLE

Bipolar Pacing Accessories

Product Highlights

- Designed to provide a connection between the external pulse generator or pacing system analyzer and the pacing catheter(s) or permanent pacing leads during threshold testing
- Reusable (sterilizable up to 10 times)
- 8 foot usable length
- Shrouded 2 mm pin connector leads

Ordering Information

Contents: Threshold Cable and Pin Adapters (5 units per box)

REORDER NUMBER	USABLE LENGTH
401748	2.4 meters (8 feet) – Black



Data on file at Abbott.

CAUTION: These products are intended for use by or under the direction of a physician. Prior to use, reference the Instructions for Use provided inside the product carton (when available), at *eifu.abbottvascular.com* or at *medical.abbott/manuals* for more detailed information on Indications, Contraindications, Warnings, Precautions and Adverse Events.

Information contained herein for DISTRIBUTION outside the U.S. only. Check the regulatory status of the device in areas where CE marking is not the regulation in force.

Illustrations are artist's representations only and should not be considered as engineering drawings or photographs. Photos on file at Abbott.

Abbott International BVBA
Culliganlaan 2B, 1831 Diegem, Belgium, Tel: 32.2.714.14.11

™ Indicates a trademark of the Abbott Group of Companies.

www.cardiovascular.abbott

©2020 Abbott. All rights reserved. MAT-2002367 v1.0

Abbott